



B00Zi0EL nSL iENLON \$Z0NÉiENs0Z 0SLl'N0 \$SÉ nSL 0CijsEi oLlJ0nL 0Δ ÀÁ ij0L'L

No ÀinshÈn ÁoÉÍ Longuou InÍustriÉÍ øonL' Àuúhou Citu øhÍjiÈng ¼roÍinijL'

EN Instruijtion ÅhLLt

Αἰὲλ' ὦ Αἰδ' ἱεφ' ὅζθ

1. Iht proLuijts in this mEñuEi Erl: inLustriEi proLuijts EnL: Erl: Eil opLn-tupL housing lLsigns. It is LssEntiEi to instEil thLsL proLuijts oithin E ijontor iJEñinL tHtE is sEflGuErlLl EgEinst Lüst moistorL: EnL: EijjiLlnts sujh E ilLijitri shoijk or phusijEi impEijts ALlLionEil proLuijEi mLEsurtLs mEi iJL tEkn to prLrLnt sLrviEunions or EEmEgEi jEusLl iJv improprL opLrEtion or EijjiLlLnts inEolEing non-mEintEnEñijL prLssonnLl FEilurL to Ls so mEi iLLEL to sLrviEus rEis to prLssonnLl sEñtEi EnL: potEntiLl loss of propLrtiL

³⁴ L'ÈsL' rL'fL'r to thL' À Ĩ sL'rLl's hÈR'LoÈrL' mÈnuÈl for morL' L'L'tÈill'L'L informÈtion

[illegible]

HC QX - yB 32 C - B 4 - XXXX
 1 2 3 4 5 6 7 8

firmware Code		I	6	1	0	I	S	?	/	Customized software/
I	A	0	(N A)							

3. AAñsijEIJñL' ZØL'Lñ

Digital input module (CERL- LGL)	HCAI-ID C-D	N%N %N%	-ijEnnLI LigitEl input(CERL-HCAI) - ports ports ° ø LLE

4. YŁŻŁΔΕἰ LἰjΠΔsijEἰ ÉŽŁ ŁŻξΔΘŽŽŁŻΠEἰ ΘALijsEἰjEἰsΘŽΘ

HCÄ Ĩ-ID	C-D	DC	é	ê	DC	é	ê	DC	é(DC)	é)	mA	Ch	DigitĒl input	DC	é(DC)	é)	mA	Ch							
HCÄ Ĩ-OD	C-D	DC	é	ê	DC	é	ê	DC						é	mA	CH	A	Ch ³	DigitĒl output	DC	é	mA	Ch	A	Ch ³
HCÄ Ĩ-OD	C-D -%N%							DC						é	mA	CH	A	Ch ³	DigitĒl output	DC	é	mA	Ch	A	Ch ³
HCÄ Ĩ-MD	C-D	DC	é	ê	DC	é	ê	DC						é(DC)	é)	mA	Ch	DigitĒl input	DC	é(DC)	é)	mA	Ch		
								DC						é	mA	Ch	A	Ch ³	DigitĒl output	DC	é	mA	Ch	A	Ch ³
HCÄ Ĩ-MD	C-D -%N%							DC						é(DC)	é)	mA	Ch	DigitĒl input	DC	é(DC)	é)	mA	Ch		
								DC						é	mA	Ch	A	Ch ³	DigitĒl output	DC	é	mA	Ch	A	Ch ³
								DC						é	mA	Ch	A	Ch ³	LoĒĹ tupĹ	ĀĹsistiĹĹ	Łłlot	Łutu			

 $L^{3/4}\text{\AA}$

ÅELé

Notit All moLL'ls ijEn onlu opL'rEtL' unLL'r thL' sEfL'tu L'ttrÉ loo ξoltÉgL' (ÅELÉ) proxiLL'L lju É limitLL' pooL'r sourijL' (L¼Å)

The pool's rating in Lijiang is the pool's full-time operation

Considér thè l'olijt of t'imp'éréturè risè én l'érèt l'uring using

[illegible]

Noti: If the Equipment is used in a manner not specified by the Manufacturer the protection provided by the Equipment may be impaired.

5. $a\check{z}\theta\pi\epsilon\epsilon\pi\varsigma\theta\check{z}\varsigma\check{z}\theta\pi\Delta\phi i j\pi\varsigma\theta\check{z}\theta$

CN mm					



1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			